

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER IZOFOL FLEX

Creation date	17th March 2021	Version	1.4
Revision date	31st August 2026		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier** NEXLER IZOFOL FLEX
Substance / mixture mixture
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use
A semi-liquid insulating foil for outdoor waterproofing.
Mixture uses advised against
The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**
Supplier
Name or trade name NEXLER sp. z o.o.
Address Łużycka 6, Gdynia, 81-537
Poland
Identification number (CRN) 191528483
VAT number PL5862073821
Phone +48 58 781 45 85
Email info@nexler.com
Web address www.nexler.com
- Competent person responsible for the safety data sheet**
Name NEXLER sp. z o.o.
Email info@nexler.com
- 1.4. Emergency telephone number**
112 – ask for Poisons Information

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008
The mixture is not classified as dangerous according to Regulation (EC) No 1272/2008.
- 2.2. Label elements**
Precautionary statements
P102 Keep out of reach of children.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P501 Dispose of contents/container to according to the instructions of the manufacturer or person authorized to dispose of waste.
- Supplemental information**
EUH208 Contains reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.
- 2.3. Other hazards**
The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components.

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER IZOFOL FLEX

Creation date 17th March 2021 Version 1.4
Revision date 31st August 2026

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 613-088-00-6 CAS: 2634-33-5 EC: 220-120-9 Registration number: - [REACH art. 15 (2)]	1,2-benzisothiazol-3(2H)-one	<0.018	Acute Tox. 4, H302 Skin Irrit. 2, H315 Skin Sens. 1A, H317 Eye Dam. 1, H318 Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1) Specific concentration limit: Skin Sens. 1A, H317: C ≥ 0.036 % ATE Inhalation (dust/mist) = 0,21 mg/l ATE Oral = 450 mg/kg bw	
Index: 613-167-00-5 CAS: 55965-84-9 EC: 911-418-6 Registration number: - [REACH art. 15 (2)]	reaction mass of: 5-chloro-2- methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2 -methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)	<0.0015	Acute Tox. 3, H301 Acute Tox. 2, H310+H330 Skin Corr. 1C, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071 Specific concentration limit: Eye Irrit. 2, H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A, H317: C ≥ 0.0015 % Skin Irrit. 2, H315: 0.06 % ≤ C < 0.6 % Skin Corr. 1C, H314: C ≥ 0.6 % Eye Dam. 1, H318: C ≥ 0.6 %	

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

If on skin

Remove contaminated clothes.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person.

If swallowed

Rinse out the mouth with clean water. In the event of issues, find medical help.

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER IZOFOL FLEX

Creation date	17th March 2021	Version	1.4
Revision date	31st August 2026		

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Not expected.

If on skin

Not expected.

If in eyes

Not expected.

If swallowed

Not expected.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Accommodate extinguishing components to the location of fire.

Unsuitable extinguishing media

Not defined.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves. Use a self-contained breathing apparatus and full-body protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Follow the instructions in the Sections 7 and 8.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

After removal of the product, wash the contaminated site with plenty of water.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Storage temperature above + 5 ° C required.

7.3. Specific end use(s)

Data not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains no substances for which occupational exposure limits are set.

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER IZOFOL FLEX

Creation date 17th March 2021 Version 1.4
Revision date 31st August 2026

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection



EN ISO 16321-1 - Eye and face protection for occupational use.
Protective goggles.

Skin protection



EN ISO 374-1.

Hand protection: protective gloves resistant to the product.

When selecting gloves, consider the properties of the product and the duration of exposure.

When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer.

Contaminated skin should be washed thoroughly.

Other means of protection: protective clothing.

Gloves resistant to the product, e.g.:

Glove material	Thickness	Breakthrough time	Class
Nitrile (NBR)	≥ 0.1 mm	>480 min	6

Respiratory protection

It is not needed.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	blue
Odour	characteristic
Melting point/freezing point	-1 °C
Boiling point or initial boiling point and boiling range	100 °C
Flammability	non-flammable
Lower and upper explosion limit	not applicable
Flash point	not applicable
Auto-ignition temperature	not applicable
Decomposition temperature	not determined
pH	7.5-9 (undiluted)
Kinematic viscosity	not determined
Viscosity	thixotropic behaviour
Solubility in water	miscible with water
Partition coefficient n-octanol/water (log value)	does not apply to mixtures
Vapour pressure	23.4 hPa (water) at 20 °C
Density and/or relative density	
Density	1.49 g/cm ³ at 22 °C
Relative vapour density	<1
Particle characteristics	applies to solids

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER IZOFOL FLEX

Creation date 17th March 2021 Version 1.4
Revision date 31st August 2026

9.2. Other information

Data not available.

SECTION 10: Stability and reactivity

10.1. Reactivity

The mixture is not reactive.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

Based on the available data, the criteria for classification of the mixture are not met.

1,2-benzisothiazol-3(2H)-one						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD ₅₀	OECD 401	454 mg/kg bw		Rat (Rattus norvegicus)	F/M
Dermal	LD ₅₀	OECD 402	>2000 mg/kg bw		Rat (Rattus norvegicus)	F/M
Inhalation (dust/mist)	LC ₅₀	EPA OPPTS 870.1300	0.25 mg/l	4 hours	Rat (Rattus norvegicus)	F/M
Inhalation (dust/mist)	ATE		0.21 mg/l			
Oral	ATE		450 mg/kg bw			

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1)						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD ₅₀		64 mg/kg bw		Rat (Rattus norvegicus)	M
Inhalation (aerosols)	LC ₅₀	OECD 403	0.171 mg/l of air	4 hours	Rat (Rattus norvegicus)	F/M
Dermal	LD ₅₀		87 mg/kg bw	24 hours	Rabbit	M

Skin corrosion/irritation

Based on the available data, the criteria for classification of the mixture are not met.

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1)				
Route of exposure	Result	Method	Exposure time	Species
Dermal	Corrosive	OECD 404		Rabbit

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER IZOFOL FLEX

Creation date 17th March 2021 Version 1.4
Revision date 31st August 2026

Serious eye damage/irritation

Based on the available data, the criteria for classification of the mixture are not met.

1,2-benzisothiazol-3(2H)-one				
Route of exposure	Result	Method	Exposure time	Species
Eye	Highly irritating, Serious eye damage	EPA OPP 81-4	3 hours	Rabbit

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1)

Route of exposure	Result	Method	Exposure time	Species
Eye	Serious eye damage			Rabbit

Respiratory or skin sensitisation

Based on the available data, the criteria for classification of the mixture are not met.

1,2-benzisothiazol-3(2H)-one					
Route of exposure	Result	Method	Exposure time	Species	Sex
Dermal	Sensitizing	EPA OPP 81-6		Guinea-pig (Cavia aperea f. porcellus)	F

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1)

Route of exposure	Result	Method	Exposure time	Species	Sex
Dermal	Sensitizing			Mouse	F

Germ cell mutagenicity

Based on the available data, the criteria for classification of the mixture are not met.

Carcinogenicity

Based on the available data, the criteria for classification of the mixture are not met.

Reproductive toxicity

Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - single exposure

Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - repeated exposure

Based on the available data, the criteria for classification of the mixture are not met.

Repeated dose toxicity

1,2-benzisothiazol-3(2H)-one							
Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	NOAEL	Systemic effects	EPA OPP 82-1	69 mg/kg bw/day	90 days	Rat (Rattus norvegicus)	F/M

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER IZOFOL FLEX

Creation date 17th March 2021 Version 1.4
Revision date 31st August 2026

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1)

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	NOAEL	Systemic effects	OECD 409	22 mg/kg bw/day	13 weeks	Dog	F/M
Inhalation (aerosols)	NOAEC	Local effects, Systemic effects	OECD 413	0.34 mg/m ³	90 days	Rat (Rattus norvegicus)	F/M
Dermal	NOAEL	Local effects, Systemic effects	EPA OPP 82-3	0.1 mg/kg bw/day	90 days	Rat (Rattus norvegicus)	F/M

Aspiration hazard

Based on the available data, the criteria for classification of the mixture are not met.

11.2. Information on other hazards

Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption for humans.

Other information

Data not available.

SECTION 12: Ecological information

12.1. Toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

Acute toxicity

1,2-benzisothiazol-3(2H)-one					
Parameter	Method	Value	Exposure time	Species	Environment
LC ₅₀	OECD 203	2.15 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EC ₅₀	OECD 202	2.9 mg/l	48 hours	Aquatic invertebrates (Daphnia magna)	
EC ₅₀	OECD 201	110 µg/l	72 hours	Algae (Raphidocelis subcapitata)	
NOEC	OECD 201	40.3 µg/l	72 hours	Algae (Raphidocelis subcapitata)	
NOEC	OECD 209	10.3 mg/l	3 hours	Aquatic microorganisms	Activated sludge
EC ₅₀	OECD 207	>410.6 mg/kg of dry substance of soil	14 days	Invertebrates (Eisenia fetida)	
EC ₅₀	OECD 216	>811.5 mg/kg of dry substance of soil	28 days	Microorganisms	Activated sludge

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1)

Parameter	Method	Value	Exposure time	Species	Environment
LC ₅₀	EPA OPP 72-1	0.19 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EC ₅₀	EPA OPP 72-2	0.16 mg/l	48 hours	Aquatic invertebrates (Daphnia magna)	

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER IZOFOL FLEX

Creation date 17th March 2021 Version 1.4
Revision date 31st August 2026

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1)

Parameter	Method	Value	Exposure time	Species	Environment
EC ₅₀	OECD 201	0.037 mg/l	48 hours	Algae (Skeletonema costatum)	
EC ₅₀	OECD 209	4.5 mg/l	3 hours	Aquatic microorganisms	Activated sludge
LC ₅₀	OECD 207	86.6 mg/kg of dry substance of soil	14 days	Invertebrates (Eisenia fetida)	

Chronic toxicity

1,2-benzisothiazol-3(2H)-one

Parameter	Method	Value	Exposure time	Species	Environment
NOEC	OECD 207	234.5 mg/kg of dry substance of soil	14 days	Invertebrates (Eisenia fetida)	
NOEC	OECD 216	263.7 mg/kg of dry substance of soil	28 days	Microorganisms	Activated sludge

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1)

Parameter	Method	Value	Exposure time	Species	Environment
NOEC	OECD 210	0.02 mg/l	35 days	Fish (Danio rerio)	
NOEC	EPA OPP 72-4	0.1 mg/l	21 days	Aquatic invertebrates (Daphnia magna)	

12.2. Persistence and degradability

The product is not biodegradable to the extent significant for the natural environment.

Biodegradability

1,2-benzisothiazol-3(2H)-one

Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301C		63 days		Hardly biodegradable

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1)

Parameter	Method	Value	Exposure time	Environment	Result
					Biodegradable

12.3. Bioaccumulative potential

Bioaccumulation is not expected.

1,2-benzisothiazol-3(2H)-one

Parameter	Method	Value	Exposure time	Species	Temperature [°C]
Log Pow		0.7			20°C
BCF		6.62	56 days	Fish (Lepomis macrochirus)	

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER IZOFOL FLEX

Creation date 17th March 2021 Version 1.4
Revision date 31st August 2026

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1)

Parameter	Method	Value	Exposure time	Species	Temperature [°C]
Log Pow	OECD 107	0.75			24°C

12.4. Mobility in soil

The product is dilutable with water before drying. It does not show mobility in the soil. Does not contain any PMT or vPvM components.

1,2-benzisothiazol-3(2H)-one

Parameter	Method	Value	Temperature
Log Koc	OECD 121	0.97	25°C

12.5. Results of PBT and vPvB assessment

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PBT or vPvB components.

12.6. Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption in the environment.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Danger of environmental contamination, follow the applicable waste disposal regulations. Store unused product and contaminated packaging in closed containers for waste collection and hand over for disposal to a specialized company authorized to conduct such activity. Do not pour unused product into drains. It must not be disposed of together with municipal waste. Empty packaging can be used for energy in a waste incineration plant or collected in a landfill with an appropriate classification. Perfectly cleaned packaging can be recycled. The classification of waste may change depending on where it is generated.

Waste management legislation

Waste Regulation (2020:614). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

No.

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER IZOFOL FLEX

Creation date	17th March 2021	Version	1.4
Revision date	31st August 2026		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Health care act (2017: 30). Ordinance (2008: 245) on chemical products and biotechnological organisms. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

EUH071	Corrosive to the respiratory tract.
EUH208	Contains reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310+H330	Fatal in contact with skin or if inhaled.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P102	Keep out of reach of children.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container to according to the instructions of the manufacturer or person authorized to dispose of waste.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

Acute Tox.	Acute toxicity
ADR	Agreement concerning the international carriage of dangerous goods by road
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
ATE	Acute toxicity estimate
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC ₅₀	Concentration of a substance when it is affected 50 % of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency Response Procedures for Ships Carrying Dangerous Goods
EU	European Union
EuPCS	European Product Categorisation System
Eye Dam.	Serious eye damage

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER IZOFOL FLEX

Creation date	17th March 2021	Version	1.4
Revision date	31st August 2026		

Eye Irrit.	Eye irritation
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
log K _{ow}	Octanol-water partition coefficient
NOAEC	No observed adverse effect concentration
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
OEL	Occupational Exposure Limits
PBT	Persistent, bioaccumulative and toxic
PMT	Persistent, mobile and toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulation concerning the International Carriage of Dangerous Goods by Rail
Skin Corr.	Skin corrosion
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization
UN number	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very persistent and very bioaccumulative
vPvM	Very persistent and very mobile

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

This safety data sheet replaces version 1.3 dated 31 October 2024.

Sections updated: 1, 2, 3, 8, 11, 12, 15.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.